



TUV PL-L

TUV PL-L 35W/4P HO 1CT

TUV PL-L lamps are compact UVC (germicidal) lamps used in professional water and air disinfection units. The compact size of the lamp allows for a small system design and design flexibility. TUV PL-L lamps offer almost constant UV output over their complete lifetime, for maximum security of disinfection and high system efficacy. Thanks to the single-ended lamp base, lamp replacement is easy.

Product data

• General Characteristics

System Description	-
Cap-Base	2G11
Cap-Base Information	4 Pins
Bulb	2xT16
Execution	-
Main Application	Disinfection
Useful Life	9000 hr
Non-household	For professional use only-not for domestic use
Symbol	

• Light Technical Characteristics

Color Code	TUV
Color Designation (text)	-

• Electrical Characteristics

Lamp Wattage	35 W
Lamp Wattage Technical	35 W
Lamp Voltage	42 V
Lamp Current	0.85 A

• UV-related Characteristics

UV-C Radiation	11.0 W
----------------	--------

• Product Dimensions

Base Face to Base Face A	195 (max) mm
Insertion Length B	220 (max) mm
Overall Length C	225 (max) mm
Diameter D	39 (max) mm
Diameter D1	18 (max) mm

• Product Data

Order code	927904204007
Full product code	927904204007
Full product name	TUV PL-L 35W/4P HO 1CT
Order product name	TUV PL-L 35W/4P HO 1CT/25
Pieces per pack	1
Packing configuration	25
Packs per outerbox	25
Bar code on pack - EAN1	8711500888273
Bar code on outerbox - EAN3	8711500888280
Logistic code(s) - 12NC	927904204007
Net weight per piece	60.900 gr


PHILIPS

Warnings and Safety

- A lamp breaking is extremely unlikely to have any impact on your health. If a lamp breaks, ventilate the room for 30 minutes and remove the parts, preferably with gloves. Put them in a sealed plastic bag and take it to your local waste facilities for recycling. Do not use a vacuum cleaner.


- **DANGER:** Risk Group 3 Ultra Violet product. These lamps emit high-power UV radiation that can cause severe injury to skin and eyes. Avoid eye and skin exposure to unshielded product. Use only in an enclosed environment which shields users from the radiation.

Dimensional drawing





TUV PL-L 35W/4P HO 1CT

Product	A (Max)	B (Max)	C (Max)	D (Max)	D1 (Max)
TUV PL-L 35W/4P HO	195	220	225	39	18



2G11

Photometric data





© 2015 Koninklijke Philips N.V. (Royal Philips)
All rights reserved.

Specifications are subject to change without notice. Trademarks are the property of Koninklijke Philips N.V. (Royal Philips) or their respective owners.

www.philips.com/lighting

2015, October 10
data subject to change