Safety Data Sheet

Revision Date: 05/08/2018 Supersedes: All Previous Versions

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture

Trade name : Superior® Smoke Generator

CAS No : NA
Product code : NA

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture : Restricted to Professional users

1.3. Details of the supplier of the safety data sheet

SUPERIOR SIGNAL COMPANY LLC

P.O. Box 96

Spotswood, NJ 08884 USA Phone: 732-251-0800 Fax: 732-251-9442

Email: info@superiorsignal.com

1.4. Emergency telephone number

Emergency number : 732-251-0800

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification (GHS-US)

Carc. 1B H350

Full text of H-phrases: see section 16

NOTE: Exposure is highly unlikely when product is used as directed. Product is sealed in heavy cardboard tube or metal canister. After ignition, product slowly combusts and hexachloroethane is consumed. Direct contact with product does not occur.

2.2. Label elements

GHS-US labeling

Hazard pictograms (GHS-US)



GHS0

Signal word (GHS-US) : Danger

Hazard statements (GHS-US) : H350 - May cause cancer (Dermal, oral)
Precautionary statements (GHS-US) : P201 - Obtain special instructions before use

P202 - Do not handle until all safety precautions have been read and understood

P280 - Wear protective clothing

P308+P313 - If exposed or concerned: Get medical advice/attention

P405 - Store locked up

P501 - Dispose of contents/container to in accordance with local regulations

2.3. Other hazards

Other hazards not contributing to the

classification

: After ignition, Smoke Generator emits smoke (mild Zinc Chloride solution) that can be irritating to the eyes, respiratory tract, and mucous membranes. When used as directed exposure should be limited, and normally poses no hazard. Persons with known respiratory sensitivity should not be exposed to smoke. Moderate exposure may temporarily result in irritation, inflammation, and difficulty breathing – moving to fresh air will reverse these effects. Heavy exposure may result in coughs, chills, fever, and pulmonary edema, requiring medical treatment. Overwhelming exposure can be dangerous and is to be avoided. Persons who will be exposed to sustained heavy smoke should wear Self Contained Breathing Apparatus (SCBA).

2.4. Unknown acute toxicity (GHS-US)

Not applicable

SECTION 3: Composition/information on ingredients

3.1. Substance

Not applicable

Revision 5/8/2018 Page 1 of 6

Safety Data Sheet

3.2. Mixture

Name	Product identifier	%	Classification (GHS-US)
Hexachloroethane	(CAS No) 67-72-1	30 - 55	Carc. 1B, H350

Full text of H-phrases: see section 16

Remaining product components are not considered hazardous.

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general : Never give anything by mouth to an unconscious person. If you feel unwell, seek medical

advice (show the label where possible).

First-aid measures after inhalation : Allow victim to breathe fresh air. Allow the victim to rest.

First-aid measures after skin contact : Remove affected clothing and wash all exposed skin area with mild soap and water, followed

by warm water rinse.

First-aid measures after eye contact : Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness

persist.

First-aid measures after ingestion : Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/injuries : May cause cancer.

4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Carbon dioxide. Dry powder. Sand. Foam.

Unsuitable extinguishing media : Do not use a heavy water stream. Do not use extinguishing media containing water.

5.2. Special hazards arising from the substance or mixture

Reactivity : May react with water, producing smoke.

5.3. Advice for firefighters

Firefighting instructions : Fight fire with normal precautions from a reasonable distance. Use water spray or fog for

cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire-

fighting water from entering environment.

Protection during firefighting : Self-contained breathing apparatus. Do not enter fire area without proper protective equipment,

including respiratory protection.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures : Evacuate unnecessary personnel.

6.1.2. For emergency responders

Protective equipment : Equip cleanup crew with proper protection.

Emergency procedures : Ventilate area.

6.2. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : On land, sweep or shovel into suitable containers. Minimize generation of dust. Store away

from other materials.

6.4. Reference to other sections

See Heading 8. Exposure controls and personal protection.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Additional hazards when processed

: After ignition, Smoke Generator emits smoke that can be irritating to the eyes, respiratory tract, and mucous membranes (mild Zinc Chloride solution). When used as directed exposure should be limited, and normally poses no hazard.

Revision 5/8/2018 Page 2 of 6

Safety Data Sheet

Precautions for safe handling : Persons with known respiratory sensitivity should not be exposed to smoke. Moderate

exposure may temporarily result in irritation, inflammation, and difficulty breathing – moving to fresh air will reverse these effects. Heavy exposure may result in coughs, chills, fever, and pulmonary edema, requiring medical treatment. Overwhelming exposure can be dangerous and is to be avoided. Persons who will be exposed to sustained heavy smoke should wear Self Contained Breathing Apparatus (SCBA). Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapor. Obtain special instructions before use. Do not

handle until all safety precautions have been read and understood.

Safe use of the product : Generate smoke to obscure, signal, trace airflow, or for other visual effects.

Hygiene measures : Do not eat, drink or smoke when using this product. Always wash hands after handling the

product. Wash contaminated clothing before reuse.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions

: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Keep away from ignition sources. Keep only in original container. Store in a dry place. Store in original container. Prevent moisture contact. Keep only in the original container in a

cool, well ventilated place away from ignition sources. Keep container closed when not in use.

Incompatible products : Strong bases. Strong acids.

Incompatible materials : Mixture may be water reactive, releasing smoke (mild zinc chloride solution). Sources of

ignition.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Superior® Smoke Generator (NA)			
ACGIH	Not applicable		
OSHA	Not applicable		
Hexachloroethane (67-72-1)			
ACGIH	ACGIH TWA (ppm)	1 ppm	
OSHA	OSHA PEL (TWA) (mg/m³)	10 mg/m³	
OSHA	OSHA PEL (TWA) (ppm)	1 ppm	

8.2. Exposure controls

Personal protective equipment : Avoid all unnecessary exposure.

Hand protection : Wear protective gloves.

Eye protection : Chemical goggles or safety glasses.

Respiratory protection : Wear appropriate mask.

Other information : Do not eat, drink or smoke during use. NOTE: Exposure is highly unlikely when product is used

as directed. Product is sealed in heavy cardboard tube or metal canister. After ignition, product slowly combusts and hexachloroethane is consumed. Direct contact with product does not

occur.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Solid

Appearance : Powder contained in sealed tube or canister.
Color : Gray

Odor
Odor : Mothballs
Odor threshold : No data available
pH : No data available
Melting point : No data available
Freezing point : No data available
Boiling point : No data available
Boiling point : No data available
Flash point : No data available
Relative evaporation rate (butyl acetate=1) : No data available

Flammability (solid, gas)

Explosion limits

Explosive properties

Coxidizing properties

Vapor pressure

Relative density

Flammability (solid, gas)

No data available

Relative density

Relative vapor density at 20 °C

Solubility

No data available

No data available

No data available

Revision 5/8/2018 Page 3 of 6

Safety Data Sheet

Log Pow : No data available
Log Kow : No data available
Auto-ignition temperature : No data available
Decomposition temperature : No data available
Viscosity : No data available
Viscosity, kinematic : No data available
Viscosity, dynamic : No data available

9.2. Other information

Minimum ignition energy : ≈

SECTION 10: Stability and reactivity

10.1. Reactivity

May react with water, producing smoke.

10.2. Chemical stability

Product is stable. Not established.

10.3. Possibility of hazardous reactions

Not established.

10.4. Conditions to avoid

Moisture. High temperature. High humidity.

10.5. Incompatible materials

Strong acids. Strong bases.

10.6. Hazardous decomposition products

zinc chloride. Smokes. Carbon monoxide. Carbon dioxide.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity : Not classified

Hexachloroethane (67-72-1)		
LD50 oral rat	4460 mg/kg	
LD50 dermal rabbit	32000 mg/kg	
ATE US (oral)	4460.000 mg/kg body weight	
ATE US (dermal)	32000.000 mg/kg body weight	

 Skin corrosion/irritation
 : Not classified

 Serious eye damage/irritation
 : Not classified

 Respiratory or skin sensitization
 : Not classified

 Germ cell mutagenicity
 : Not classified

Carcinogenicity : May cause cancer (Dermal, oral).

Hexachloroethane (67-72-1)		
IARC group	2B - Possibly carcinogenic to humans	
National Toxicology Program (NTP) Status	1 - Evidence of Carcinogenicity, 3 - Reasonably anticipated to be Human Carcinogen	
In OSHA Hazard Communication Carcinogen list	Yes	

Reproductive toxicity : Not classified Specific target organ toxicity (single exposure) : Not classified Specific target organ toxicity (repeated : Not classified exposure)

Aspiration hazard : Not classified

Potential Adverse human health effects and : Based on available data, the classification criteria are not met.

symptoms

SECTION 12: Ecological information

12.1. Toxicity

Hexachloroethane (67-72-1)		
LC50 fish 1	967 - 1250 μg/l (Exposure time: 96 h - Species: Pimephales promelas)	
LC50 fish 2 712 - 1030 µg/l (Exposure time: 96 h - Species: Lepomis macrochirus)		

Revision 5/8/2018 Page 4 of 6

Safety Data Sheet

12.2. Persistence and degradability

Superior® Smoke Generator (NA)	
Persistence and degradability	Not established.

12.3. Bioaccumulative potential

Superior® Smoke Generator (NA)	
Bioaccumulative potential	Not established.
Hexachloroethane (67-72-1)	
Log Pow	4.14

12.4. Mobility in soil

Superior® Smoke Generator (NA)	
Ecology - soil	None.

12.5. Other adverse effects

Effect on the global warming : No known ecological damage caused by this product.

Other information : Avoid release to the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste disposal recommendations : Dispose in a safe manner in accordance with local/national regulations

Ecology - waste materials : Avoid release to the environment.

SECTION 14: Transport information

Department of Transportation (DOT)

In accordance with DOT Not regulated for transport

Additional information

Other information : No supplementary information available.

ADR

No additional information available

Transport by sea

No additional information available

Air transport

No additional information available

SECTION 15: Regulatory information

15.1. US Federal regulations

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory

Hexachloroethane (67-72-1)		
SARA Section 313 - Emission Reporting	0.1 %	
Zinc (7440-66-6)		
RQ (Reportable quantity, section 304 of EPA's List of Lists)	1000 lb	
SARA Section 313 - Emission Reporting	1.0 % (dust or fume only)	

15.2. International regulations

CANADA

All components listed on the Canadian DSL (Domestic Sustances List)

EU-Regulations

All components listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

Classification according to Regulation (EC) No. 1272/2008 [CLP]

No additional information available

Classification according to Directive 67/548/EEC [DSD] or 1999/45/EC [DPD]

Not classified

Revision 5/8/2018 Page 5 of 6

Safety Data Sheet

National regulations

All components listed on the AICS (Australian Inventory of Chemical Substances)

All components listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)

All components listed on the Japanese ENCS (Existing & New Chemical Substances) inventory

All components listed on the Korean ECL (Existing Chemicals List)

All components listed on NZIoC (New Zealand Inventory of Chemicals)

All components listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)

All components listed on INSQ (Mexican national Inventory of Chemical Substances)

15.3. US State regulations

Hexachloroethane (67-72-1	Hexachloroethane (67-72-1)			
U.S California - Proposition 65 - Carcinogens List	U.S California - Proposition 65 - Developmental Toxicity	U.S California - Proposition 65 - Reproductive Toxicity - Female	U.S California - Proposition 65 - Reproductive Toxicity - Male	No significance risk level (NSRL)
Yes	No	No	No	20 μg/day

Hexachloroethane (67-72-1)

- U.S. Massachusetts Right To Know List
- U.S. New Jersey Right to Know Hazardous Substance List
- U.S. Pennsylvania RTK (Right to Know) Environmental Hazard List
- U.S. Pennsylvania RTK (Right to Know) List

Zinc (7440-66-6)

- U.S. Massachusetts Right To Know List
- U.S. New Jersey Right to Know Hazardous Substance List
- U.S. Pennsylvania RTK (Right to Know) Environmental Hazard List
- U.S. Pennsylvania RTK (Right to Know) List

Zinc oxide (1314-13-2)

- U.S. Massachusetts Right To Know List
- U.S. New Jersey Right to Know Hazardous Substance List
- U.S. Pennsylvania RTK (Right to Know) Environmental Hazard List
- U.S. Pennsylvania RTK (Right to Know) List

SECTION 16: Other information

Full text of H-phrases:

Carc. 1B	Carcinogenicity Category 1B
H350	May cause cancer

Revision date : 04/10/2018

Other information

: DISCLAIMER OF LIABILITY The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This SDS was prepared and is to be used only for this product. If the product is used as a component in another product, this SDS information may not be applicable.

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product

Revision 5/8/2018 Page 6 of 6